

## MMSC Rapid Response Plan

To manage individuals who become sick while at soccer activities, or come to soccer activities sick.

### **Symptoms of Covid-19**

- Fever
- Cough
- Shortness of breath or difficulty breathing (new or worsening)
- Runny nose
- Sore throat

### **Additional Symptoms**

- Chills
- Painful swallowing
- Stuffy nose
- Headache
- Muscle or joint aches
- Feeling unwell, fatigue or severe exhaustion
- Gastrointestinal symptoms (nausea, vomiting, diarrhea, or unexplained loss of appetite)
- Loss of sense of smell or taste
- Conjunctivitis, commonly known as pink eye

### **Action Plan**

- 1) How will individuals be safely isolated?
  - Individuals who require isolation while at soccer activities will be removed from the field of play area and brought to the sideline opposite from where the parents/viewers are sitting. Staying 6 feet min from the side lines or other symptomatic player.
  - Individuals who come to soccer activities will be denied access to enter the field and will be immediately sent home. If parents/guardians aren't present the above step will be followed
- 2) How will they travel home?
  - Parents/guardians will be notified that their child requires immediate transportation home by the same parent/guardian who dropped the player off. They then must follow AHS guidelines (call 811 and follow their directions) of self-isolating and staying home for 10-14 days or until all symptoms whichever is later are gone and/or have received a negative Covid-19 test.
- 3) Cleaning and Disinfecting of equipment
  - All equipment must be cleaned and disinfected (following the directions on the bottle from the manufacture) immediately before returning to play.
- 4) Hygiene for remaining participants
  - Players/coaches on the same field must go wash their hands and /or use hand sanitizer in accordance to AHS hand cleaning and sanitizing protocols.

5) Communication protocols for reporting individuals?

- Coaches must report participant to the other coach on the field
- Coaches must separate the remaining kids from the child presenting symptoms
- Coaches must wear a mask and gloves as soon as this has been reported
- One coach needs to escort the symptomatic child to the designated field isolation away from others, while not allowing the child to touch anything.
- The coach immediately needs to contact the parent/guardian to come pick up their child
- The coach needs to contact the director to notify them that there was a child that became symptomatic while at soccer.
- Director needs to communicate with the President of the isolated child so that a record can be kept in the event of a positive case. This information will be confidential and provided to AHS if required.